INSTRUCTIONS

REPORTING PROCEDURE - Timber tax returns must be reported by the Timber Tax Account Number of the timber owner. The return shall include only timber having the same ownership as shown for the registration of the account.

The Timber Tax Harvest Report is completed first by the taxpayer in order to prepare the Timber Tax Return. The taxpayer must maintain records to report the timber for each timber harvest operation separately as defined below. Timber harvest records must include the harvest information by tax rate area within each county.

TAX RATE — The tax rate for the period of this schedule is 2.9%.

### TIMBER HARVEST OPERATION -

- A. A harvest on private land for an entire Timber Harvesting Plan, Notice of Timber Operations or Emergency Notice, or a combination of these within the same geographical area, as submitted to the Department of Forestry.
- B. A harvest on public land for an entire timber sale contract between a public agency and a purchaser.

HARVEST VALUE SCHEDULE - The appropriate schedule provides the timber values to be used by the timber owner for preparing the Timber Tax Harvest Report and the Timber Tax Return. Nine timber value areas are designated within the State, and the taxpayer must use the appropriate harvest value schedule for timber harvested within the specified area. Timber value areas are shown on the map, and the boundaries of these areas follow county boundaries with exceptions in Shasta, Siskiyou, Tehama, and Trinity Counties.

SPECIES — Timber species or products are reported by using the appropriate code as shown in the harvest value table. Jeffrey pine is reported as ponderosa pine except where Jeffrey pine is shown in the table. Western white pine is reported as sugar pine. Fir includes white fir, red fir and Shasta red fir. Miscellaneous conifers include lodgepole pine, knobcone pine, digger pine, mountain hemlock and other evergreen species not listed in the table. Coastal whitewoods in areas 1 and 2 include grand fir, spruce, western hemlock and western red cedar. Residual old growth redwood in Area 1 is the remaining old growth redwood trees harvested from an area whereon 70 percent or more of the volume in the original stand has been removed. Unsound sapwood logs are to be reported along with the other volumes for a particular species code.

CULL LOGS - A cull log is any log that, when scaled, shows less than 1/3 of its gross volume as sound, usable lumber. Cull logs are to be reported in gross M board feet. Unsound sapwood logs are not classified as cull logs.

OLD GROWTH OR YOUNG GROWTH - The taxpayer must report the timber as either old growth or young growth, providing the quantity in each category. The taxpayer shall use the following guidelines to classify volumes for certain species as either old growth or young growth timber. The timber values are based upon this classification and the old growth timber is usually rated for size-quality.

This system is designed for rating standing timber, not logs; therefore, the upper logs of old growth trees shall be placed in the old growth category.

The taxpayer must give full consideration to all of the characteristics of the timber. An individual characteristic, such as age, shall not be used in this classification. The appropriate category shall be selected if a majority of the characteristics appear under that category. This classification may be made by the registered professional forester based upon an inventory or a statistical sample of the timber or log scalers may be used to rate the timber.

| Characteristics | Old Growth Timber   | Young Growth Timber  |
|-----------------|---|--|
| Wood            | Produces high quality lumber with fewer knots in lower logs.  | Produces lower quality lumber and more knots in lower logs.  |
| Age             | Older mature trees generally over 150 years except in the redwood—Douglas fir areas within TVA 1 and TVA 2 where 100 years shall be the criterion.  | Younger trees generally under 150 years except in<br>the redwood—Douglas fir areas within TVA 1 and<br>TVA 2 where 100 years shall be the criterion.                                 |
| Crown           | Branches may be downturned and the tops may be rounded or flat.   | Branches are usually upturned and the tops are usually pointed.  |
| Bark            | Dependent upon species, bark is typical of older mature trees as described in dendrology books.   | Dependent upon species, bark is typical of younger trees as described in dendrology books.   |
| Growth          | Trees are generally growing increasingly slower as indicated by annual rings, dependent upon position of the tree within the timber stand. Grain usually shows six annual rings or more per inch. | Trees are generally growing fast as indicated by annual rings, dependent upon position of the tree within the timber stand. Grain usually shows less than six annual rings per inch. |

#### INSTRUCTIONS

SALVAGE TIMBER — Salvage values are used for reporting salvage timber removed from an area designated for salvage logging. Salvage logging may occur whenever the prompt removal of timber is essential to avoid its deterioration. For old growth redwood, salvage logging includes the removal of dead or down trees previously left as unmerchantable in an earlier harvest.

- 1. Salvage timber includes only dead, dying, damaged or down trees removed from the area of salvage logging.
- 2. Live, healthy trees removed from the area of salvage logging do not qualify for salvage values.
- 3. Dead, dying, damaged or down trees should not be reported as salvage timber if they are removed as a part of a normal horvest.

LOGGING SYSTEM — The taxpayer must report the volume of timber harvested by logging system. Logging systems and logging code numbers are as follows: Tractor (includes skidding with winch) — 1, High-lead cable — 2, Short-span skyline — 3, Long-span skyline — 4, and Helicopter — 5. Skyline logging settings are classified by the actual external yarding distance on the slope: Short-span has a maximum length of 1500 feet and long-span is over 1500 feet.

VOLUMES — All volumes are net Scribner short-log scale (20 feet maximum scaling length) except where indicated otherwise in Table 1. For national forest timber sold on scaled volume billings, the Forest Service statements of account (billing statements) shell be the basis for tax payment. To convert split products to a board foot basis, multiply the thickness by the width and by the length (all in inches) and divide by 144. (T" x W" x L" + 144 = Board Feet per Piece)

TABLES — The harvest value schedule for each timber value area has six separate tables to provide the taxpayer with the taxable value of harvested timber. Timber values are shown as a dollar amount per thousand (M) board feet or other unit of measure. Species codes and units of measure are shown in the tables for preparation of the Timber Tax Harvest Report.


VALUE DEDUCTIONS — Low volume harvests may qualify for reduction of harvest values. Volume limits and deduction amounts are shown at the bottom of each of the harvest value tables except Table 1, Miscellaneous Harvest Values, where no deduction is allowed. The small total volume deduction is applicable to all qualified timber harvest operations, however the low average volume per acre deduction is not applicable to salvage timber. Either or both deductions may be used if the operation meets the applicable limitations. The volume computations are based upon all timber in the total harvest operation without regard to the time of harvesting. The total net volume of all species of timber to be removed on the entire timber harvest operation (excluding defect, cull logs and miscellaneous products in Table 1) is used to determine whether the operation qualifies for the small total volume deduction. This figure is then divided by the total acres to be cut on the entire timber harvest operation to determine the average net volume per acre.

TIMBER TAX OFFICES - Please contact Timber Tax Division if you need assistance.

Sacramento — 1020 N Street, Room A-498, Sacramento, CA 95814 P.O. Box 1799, Sacramento, CA 95808 Telephone (916) 445-6964.

Eureka — 1656 Union Street, Room 120 (8 a.m. — Noon), P.O. Box 4866, Eureka, CA 95501 Telephone (707) 445-2031.

Redding — 2400 Washington Avenue, Suite 210, Redding, CA 96001 Telephone (916) 246-6581.



#### CALIFORNIA STATE BOARD OF EQUALIZATION

TABLE 1, MISCELLANEOUS HARVEST VALUES — This table is applicable to all timber value areas and shows the harvest values for special items such as Christmas trees, fuelwood, chipwood, poles, posts and split products. Cull logs are also listed in this table and the timber owner must report cull logs in gross M board feet. Except for split products, the items in this table are to be reported in the column for other unit measure on the Timber Tax Harvest Report.

TABLE 2. SIZE-QUALITY RATING FOR OLD GROWTH — This table shows the log sizes used to rate the listed species of old growth timber. The taxpayer determines the appropriate size-quality code as 1, 2, or 3 based upon the average net volume per 16' log. The average volume per log is for the reported quarterly volume within the harvest operation. It is calculated by dividing the net volume by the actual number of short log scaling segments. (An estimate of the number of scaling segments may be made by dividing the total lineal feet by 16.) Cull logs are excluded from this determination.

TABLE 3, OLD GROWTH HARVEST VALUES — This table shows the harvest values for such timber by species, size-quality if required, and logging system. The taxpayer must make the adjustments for small total volume on the harvest operation and/or low average volume per acre on the harvest operation if the operation qualifies.

TABLE 4, YOUNG GROWTH HARVEST VALUES — This table shows the harvest values for such timber by species and logging system. The taxpayer must make the adjustments for small total volume on the harvest operation and/or low average volume per acre on the harvest operation if the operation qualifies.

TABLE 5, SALVAGE OLD GROWTH HARVEST VALUES — This table shows the harvest values for such timber removed by salvage logging only. The table shows the harvest values by species and logging system. The tax payer must make the adjustment for small total volume on the harvest operation if the operation qualifies.

TABLE 6, SALVAGE YOUNG GROWTH HARVEST VALUES — This table shows the harvest values for such timber removed by salvage logging only. The table shows the harvest values by species and logging system. The taxpayer must make the adjustment for small total volume on the harvest operation if the operation qualifies.

#### TABLE 1 -- MISCELLANEOUS HARVEST VALUES

| SPECIES OR PRODUCT  | SPECIES<br>CODE | UNIT               | HARVEST VALUE<br>PER UNIT |
|---|-----------------|--------------------|---------------------------|
| Cull logs   | CUL             | Gross M board feet | \$ 0.00                   |
| Fuelwood, hardwood  | FWH             | Cords              | 15.00                     |
| Fuelwood, miscellaneous   | FWM             | Cords              | 8.00                      |
| Hardwood chipwood & sawlogs   | HW              | Tons of logs       | 1.00                      |
| Softwood chipwood   | CS              | Tons of logs       | 1.00                      |
| Poles & piling, small (20' - 40') Poles & piling, medium (41' - 60') Poles & piling, large (61' - up) | PS              | Lineal feet        | 0.25                      |
|   | PM              | Lineal feet        | 0.35                      |
|   | PL              | Lineal feet        | 0.50                      |
| Posts, round  | PST             | 8 lineal feet      | 0.10                      |
| Split products, redwood Split products, miscellaneous   | TR              | Net M board feet   | 50.00                     |
|   | TM              | Net M board feet   | 10.00                     |

No deduction for this table

TABLE 2--SIZE-QUALITY RATING FOR OLD GROWTH
Average Net Volume Per Log (Board Feet)

| SPECIES           |          | SIZE-QUALITY CODE |           |
|-------------------|----------|-------------------|-----------|
| 3FCCIE3           |          | 2                 | 3         |
| Redwood           | Over 850 | 850 - 530         | Under 530 |
| Redwood, residual | Over 535 | 535 – 360         | Under 360 |
| Douglas fir       | Over 430 | 430 – 310         | Under 310 |

TABLE 3--OLD GROWTH HARVEST VALUES
(Per M Board Feet)

|                         |         | 1        |       |        | •        |         |       |
|-------------------------|---------|----------|-------|--------|----------|---------|-------|
| SPECIES                 | SPECIES | SIZE -   | LOGO  | ING CO | DE & HAI | RVEST V | ALUE  |
|                         | CODE    | CODE     | 1     | 2      | 3        | 4       | 5     |
| Redwood                 | RO      | 1        | \$325 | \$315  | \$300    | \$280   | \$145 |
|                         |         | 2        | 300   | 290    | 275      | 255     | 145   |
|                         |         | 3        | 260   | 250    | 235      | 215     | 145   |
| Redwood, residual       | RRO     | 1        | 270   | 260    | 245      | 225     | 90    |
|                         |         | 2        | 245   | 235    | 220      | 200     | 90    |
|                         |         | 3        | 205   | 195    | 180      | 160     | 90    |
| Douglas fir             | DFO     | 1        | 175   | 165    | 150      | 130     | 1     |
|                         |         | 2        | 140   | 130    | 115      | 95      | 1     |
|                         |         | 3        | 95    | 85     | 70       | 50      | 1     |
| Ponderosa pine          | PPO     | -        | 150   | 140    | 125      | 105     | 1     |
| Sugar pine              | SPO     | <b>-</b> | 160   | 150    | 135      | 115     | 5     |
| Fir, inland             | FO      | -        | 60    | 50     | 35       | 15      | 1     |
| Incense cedar           | ICO     | -        | 65    | 55     | 40       | 20      | 1     |
| Whitewoods, coastal     | WWO     |          | 60    | 50     | 35       | 15      | 1     |
| Port Orford cedar       | PCO     |          | 700   | 690    | 675      | 655     | 545   |
| Conifers, miscellaneous | CMO     | -        | 30    | 20     | - 5      | 1       | 1     |

Deduction if total volume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.

<sup>2.</sup> Deduction if average volume per acre on the harvest operation is under 10 M/acre -\$15, under 5 M/acre -\$25.

<sup>3. \$1</sup> per M is minimum harvest value after adjustment.

## TABLE 4--YOUNG GROWTH HARVEST VALUES (Per M Board Feet)

|                         | SPECIES |       | LOGGING ( | CODE & HA | RVEST VAL | UE   |
|-------------------------|---------|-------|-----------|-----------|-----------|------|
| SPECIES                 | CODE    | 1     | 2         | 3         | 4         | 5    |
| Redwood                 | RY      | \$145 | \$135     | \$120     | \$100     | \$ 1 |
| Douglas fir             | DFY     | 80    | 70        | 55        | 35        | 1    |
| Ponderosa pine          | PPY     | 40    | 30        | 15        | 1         | 1    |
| Sugar pine              | SPY     | 40    | 30        | 15        | 1         | 1    |
| Fir, inland             | FY      | 60    | 50        | 35        | 15        | 1    |
| Incense cedar           | ICY     | 65    | 55        | 40        | 20        | 1    |
| Whitewoods, coastal     | WWY     | 60    | 50        | 35        | 15        | 1    |
| Port Orford cedar       | PCY     | 425   | 415 *     | 400       | 380       | 270  |
| Conifers, miscellaneous | CMY     | 30    | 20        | , 5       | 1         | 1    |

- 1. Deduction if total volume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.
- 2. Deduction if average volume per acre on the harvest operation is under 10 M/acre -\$15, under 5 M/acre -\$25.
- 3. \$1 per M is minimum harvest value after adjustment.

TABLE 5--SALVAGE OLD GROWTH HARVEST VALUES
(Per M Board Feet)

|                                |         |                              | <del></del> |       |       |      |  |  |  |
|--------------------------------|---------|------------------------------|-------------|-------|-------|------|--|--|--|
|                                | SPECIES | LOGGING CODE & HARVEST VALUE |             |       |       |      |  |  |  |
| SPECIES                        | CODE    | 1                            | 2           | 3     | 4     | 5    |  |  |  |
| Salvage ponderosa pine         | ZPP     | \$ 85                        | \$ 75       | \$ 60 | \$ 40 | \$ 1 |  |  |  |
| Salvage sugar pine             | ZSP     | 95                           | 85          | 70    | 50    | 1    |  |  |  |
| Salvage fir, inland            | ZF      | 35                           | 25          | 10    | 1     | 1    |  |  |  |
| Salvage Douglas fir            | ZDF     | 90                           | 80          | 65    | 45    | 1    |  |  |  |
| Salvage incense cedar          | ZIC     | 35                           | 25          | 10    | 1     | 1    |  |  |  |
| Salvage Port Orford cedar      | ZPC     | 285                          | 275         | 260   | 240   | 130  |  |  |  |
| Salvage miscellaneous conifers | ZCM     | 10                           | 1           | 1     | 1     | 1    |  |  |  |
| Salvage redwood                | ZR      | 190                          | 180         | 165   | 145   | 35   |  |  |  |
| Salvage whitewoods, coastal    | ZWW     | 30                           | 20          | 5     | 1     | 11   |  |  |  |

- 1. Deduction if total volume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40,
- 2. \$1 per M is minimum harvest value after adjustment.

TABLE 6--SALVAGE YOUNG GROWTH HARVEST VALUES (Per M Board Feet)

| SPECIES   | SPECIES          |                   | LOGGING (         | CODE & HAF | RVEST VAL | JE .      |
|---|------------------|-------------------|-------------------|------------|-----------|-----------|
|   | CODE             | 1                 | 2                 | 3          | 4         | 5         |
| Salvage ponderosa pine<br>Salvage sugar pine                        | APP<br>ASP<br>AF | \$ 25<br>25<br>20 | \$ 15<br>15<br>10 | \$ 1       | \$ 1      | \$ 1<br>1 |
| Salvage fir, inland<br>Salvage Douglas fir<br>Salvage incense cedar | ADF<br>AIC       | 50<br>20          | 40<br>10          | 25         | 5         | 1         |
| Salvage Port Orford cedar Salvage miscellaneous conifers            | APC<br>ACM       | 240<br>10         | 230               | 215        | 195<br>1  | 85        |
| Salvage redwood Salvage whitewoods, coastal                         | AR<br>AWW        | 110<br>25         | 100<br>15         | 85<br>1    | 65<br>1   | 1 1       |

- 1. Deduction if total volume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.
- 2. \$1 per M is minimum harvest value after adjustment.

### TIMBER VALUE AREA 2 MENDOCINO COUNTY ONLY

#### TABLE 2--SIZE-QUALITY RATING FOR OLD GROWTH

#### Average Net Volume Per Log (Board Feet)

| SPECIES |          | SIZE-QUALITY CODE |           |
|---------|----------|-------------------|-----------|
| SPECIES | 1        | 2                 | 3         |
| Redwood | Over 320 | 320 - 195         | Under 195 |

### TABLE 3-OLD GROWTH HARVEST VALUES (Per M Board Feet)

|                         | SPECIES | SIZE- | LOGG  | ING COD | E & HA | RVEST | VALUE |
|-------------------------|---------|-------|-------|---------|--------|-------|-------|
| SPECIES                 | CODE    | CODE  | 1     | 2       | 3      | 4     | 5     |
| Redwood                 | RO      | 1     | \$295 | \$285   | \$270  | \$250 | \$100 |
|                         |         | 2     | 255   | 245     | 230    | 210   | 100   |
| ·                       |         | 3 .   | 205   | 195     | 180    | 160   | 100   |
| Douglas fir             | DFO     | _     | 95    | 85      | 70     | 50    | 1     |
| Ponderosa pine          | PPO     |       | 110   | 100     | 85     | 65    | 1     |
| Sugar pine              | SPO -   | _     | 120   | 110     | 95     | 75    | 1     |
| Fir, inland             | FO      | _     | 25    | 15      | 1      | 1     | 1     |
| Incense cedar           | IC0     | -     | 65    | 55      | 40     | 20    | 1     |
| Whitewoods, coastal     | WWO     | -     | 25    | 15      | 1      | 1     | 1     |
| Conifers, miscellaneous | СМО     | -     | 20    | 10      | 1      | 1     | 1     |

- 1. Deduction if total volume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.
- Deduction if average volume per acre on the harvest operation is under 10 M/acre -\$15, under 5 M/acre -\$25.
- 3. \$1 per M is minimum harvest value after adjustment.

### TIMBER VALUE AREA 2 MENDOCINO COUNTY ONLY

### TABLE 4--YOUNG GROWTH HARVEST VALUES (Per M Board Feet)

| CDECIE!                 | SPECIES |       | OGGING C | ODE & HAR | VEST VAL | UE   |
|-------------------------|---------|-------|----------|-----------|----------|------|
| SPECIES                 | CODE    | i     | 2        | 3         | 4        | 5    |
| Redwood                 | RY      | \$120 | \$110    | \$ 95     | \$ 75    | \$ 1 |
| Douglas fir             | DFY     | 55    | 45       | 30        | 10       | 1    |
| Ponderosa pine          | PPY .   | 35    | 25       | 10        | 1        | 1    |
| Sugar pine              | SPY     | 35    | 25       | 10        | 1        | 1    |
| Fir, inland             | FY      | 25    | 15       | 1         | 1        | 1    |
| Incense cedar           | ICY     | 65    | 55       | 40        | 20       | 1    |
| Whitewoods, coastal     | WWY     | 25    | 15       | 1         | 1        | 1    |
| Conifers, miscellaneous | CMY     | 20    | 10       | 1         | 1        | 1:   |

- 1. Deduction if total volume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.
- 2. Deduction if average volume per acre on the harvest operation is under 10 M/acre -\$15, under 5 M/acre -\$25.
- 3. \$1 per M is minimum harvest value after adjustment.

TABLE 5—SALVAGE OLD GROWTH HARVEST VALUES (Per M Board Feet)

| SPECIES  | SPECIES                       | L  | OGGING C                                 | ODE & HAR                                | VEST VAL                               | UE                                 |
|--|-------------------------------|--|--|--|--|------------------------------------|
|  | CODE                          | 1  | 2  | 3  | 4                                      | 5                                  |
| Salvage ponderosa pine Salvage sugar pine Salvage fir, inland Salvage Douglas fir Salvage incense cedar Salvage miscellaneous conifers Salvage redwood Salvage whitewoods, coastal | ZPP ZSP ZF ZDF ZIC ZCM ZR ZWW | \$ 70<br>75<br>15<br>50<br>40<br>10<br>195 | \$ 60<br>65<br>5<br>40<br>30<br>1<br>185 | \$ 45<br>50<br>1<br>25<br>15<br>1<br>170 | \$ 25<br>30<br>1<br>5<br>1<br>1<br>150 | \$ 1<br>1<br>1<br>1<br>1<br>1<br>1 |

- 1. Deduction if total valume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.
- 2. \$1 per M is minimum harvest value after adjustment.

TABLE 6—SALVAGE YOUNG GROWTH HARVEST VALUES (Per M Board Feet)

| SPECIES                        | SPECIES | 1     | OGGING C | ODE & HA | RVEST VAL | .UE  |
|--------------------------------|---------|-------|----------|----------|-----------|------|
| JF ECIES                       | CODE    | 1     | 2        | 3        | 4         | 5    |
| Salvage ponderosa pine         | APP     | \$ 20 | \$ 10    | \$ 1     | \$ 1      | \$ 1 |
| Salvage sugar pine             | ASP     | 20    | 10       | 1        | 1         | 1    |
| Salvage fir, inland            | AF      | 15    | 5        | 1        | 1         | 1    |
| Salvage Douglas fir            | ADF     | 40    | 30       | 15       | 1 . 1     | 1    |
| Salvage incense cedar          | AIC     | 30    | 20       | 5        | 1 1       | 1    |
| Salvage miscellaneous conifers | ACM     | 10    | 1        | 1        | 1         | 1    |
| Salvage redwood                | AR      | 85    | 75       | 60       | 40        | 1    |
| Salvage whitewoods, coastal    | AWW     | 15    | - 5      | 1        | 1         | 1    |

- 1. Deduction if total volume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.
- 2. \$1 per M is minimum harvest value after adjustment.

### TIMBER VALUE AREA 2 SOUTHERN PORTION\*

#### TABLE 2-SIZE-QUALITY RATING FOR OLD GROWTH

Timber is not rated for size in this area.

TABLE 3--OLD GROWTH HARVEST VALUES
(Per M Board Feet)

| SPECIES                 | SPECIES | SIZE-<br>QUALITY |       |       | ING COL |       |      |  |  |  |  |
|-------------------------|---------|------------------|-------|-------|---------|-------|------|--|--|--|--|
|                         | CODE    | CODE             | 1     | 2     | 3       | 4     | 5    |  |  |  |  |
| Redwood                 | RO      | _                | \$110 | \$100 | \$ 85   | \$ 65 | \$ 1 |  |  |  |  |
| Douglas fir             | DFO     | _                | 35    | 25    | 10      | 1     | 1    |  |  |  |  |
| Ponderosa pine          | PPO     | _                | 80    | 70    | 55      | 35    | 1    |  |  |  |  |
| Sugar pine              | SPO     | _                | 85    | 75    | 60      | 40    | 1    |  |  |  |  |
| Fir, inland             | FO      | _                | 20    | 10    | 1       | 1     | 1    |  |  |  |  |
| Whitewoods, coastal     | wwo     | _                | 20    | 10    | 1       | 1     | 1    |  |  |  |  |
| Conifers, miscellaneous | СМО     | _                | 15    | 5     | 1       | 1     | 1    |  |  |  |  |

Deduction if total volume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.

Deduction if average volume per acre on the harvest operation is under 10 M/acre -\$15, under 5 M/acre -\$25.

<sup>3. \$1</sup> per M is minimum harvest value after adjustment.

<sup>\*</sup>The southern portion of timber value area 2 consists of the following 9 counties:
Alameda, Contra Costa, Marin, Monterey, San Francisco, San Mateo, Santa Clara, Santa Cruz and Sanoma.

### TIMBER VALUE AREA 2 SOUTHERN PORTION

### TABLE 4--YOUNG GROWTH HARVEST VALUES (Per M Board Feet)

| Species   | SPECIES                       | LOGGING CODE & HARVEST VALUE  |                         |                       |                      |                     |  |
|---|-------------------------------|-------------------------------|-------------------------|-----------------------|----------------------|---------------------|--|
| SPECIES   | CODE                          | 1                             | 2                       | 3                     | 4                    | 5                   |  |
| Redwood<br>Douglas fir<br>Ponderosa pine<br>Sugar pine<br>Fir, inland | RY<br>DFY<br>PPY<br>SPY<br>FY | \$110<br>35<br>25<br>25<br>20 | \$100<br>25<br>15<br>15 | \$ 85<br>10<br>1<br>1 | \$ 65<br>1<br>1<br>1 | \$ 1<br>1<br>1<br>1 |  |
| Whitewoods, coastal Conifers, miscellaneous                           | CMY                           | 20<br>15                      | 10                      | 1 1                   | 1                    | j                   |  |

- 1. Deduction if total valume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.
- 2. Deduction if average volume per acre on the harvest operation is under 10 M/acre -\$15, under 5 M/acre -\$25.
- 3. \$1 per M is minimum harvest value after adjustment.

# TABLE 5--SALVAGE OLD GROWTH HARVEST VALUES (Per M Board Feet)

|  | SPECIES                   | LOGGING CODE & HARVEST VALUE        |                                   |                                  |                                      |                               |  |
|--|---------------------------|-------------------------------------|-----------------------------------|----------------------------------|--------------------------------------|-------------------------------|--|
| SPECIES  | CODE                      | 11                                  | 2 .                               | 3                                | 4                                    | 5                             |  |
| Salvage ponderosa pine Salvage sugar pine Salvage fir, inland Salvage Douglas fir Salvage miscellaneous conifers Salvage redwood Salvage whitewoods, coastal | ZPP ZSP ZF ZDF ZCM ZR ZWW | \$ 45<br>55<br>10<br>25<br>10<br>65 | \$ 35<br>45<br>1<br>15<br>1<br>55 | \$ 20<br>30<br>1<br>1<br>40<br>1 | \$ 1<br>10<br>1<br>1<br>1<br>20<br>1 | \$ 1<br>1<br>1<br>1<br>1<br>1 |  |

- 1. Deduction if total volume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.
- 2. \$1 per M is minimum harvest value after adjustment.

TABLE 6--SALVAGE YOUNG GROWTH HARVEST VALUES

| SPECIES                        | SPECIES | LOGGING CODE & HARVEST VALL |      |      |      |      |  |
|--------------------------------|---------|-----------------------------|------|------|------|------|--|
| SPECIES                        | CODE    | 1                           | 2    | 3    | 4    | 5    |  |
| Salvage ponderosa pine         | APP     | \$ 15                       | \$ 5 | \$ 1 | \$ 1 | \$ 1 |  |
| Salvage sugar pine             | ASP     | 15                          | 5    | 1    | 1    | 1    |  |
| Salvage fir, inland            | AF      | 10                          | 1    | 1    | 1    | 1    |  |
| Salvage Douglas fir            | ADF     | 35                          | 25   | 10   | 1    | 1    |  |
| Salvage miscellaneous conifers | ACM     | 10                          | 1    | 1    | 1    | 1    |  |
| Salvage redwood                | AR      | 65                          | 55   | 40   | 20   | 1    |  |
| Salvage whitewoods, coastal    | AWW:    | 10                          | 1    | 1    | 1    | 1    |  |

- 1. Deduction if total volume on the harvest operation is under 300 M =\$15, under 100 M =\$25, under 25 M =\$40.
- 2. \$1 per M is minimum harvest value after adjustment.

# TABLE 2--SIZE-QUALITY RATING FOR OLD GROWTH Average Net Volume Per Log (Board Feet)

| SPECIES                                     | SIZE-QUALITY CODE                |                                     |                                     |  |  |  |  |
|---|----------------------------------|-------------------------------------|-------------------------------------|--|--|--|--|
| V. CC/LV                                    | 1                                | 2                                   | 3                                   |  |  |  |  |
| Ponderosa pine<br>Sugar pine<br>Douglas fir | Over 320<br>Over 470<br>Over 320 | 320 - 225<br>470 - 330<br>320 - 220 | Under 225<br>Under 330<br>Under 220 |  |  |  |  |

## TABLE 3--OLD GROWTH HARVEST VALUES (Per M Board Feet)

|                         |         | vi Dodia i e | <b>U</b> ., |        |        |       |           |
|-------------------------|---------|--------------|-------------|--------|--------|-------|-----------|
| SPECIES                 | SPECIES | SIZE-        | LOGG        | NG COD | Е & НА | RVEST | VALUE     |
| ·                       | CODE    | CODE         | 1           | 2      | 3      | 4     | 5         |
| Ponderosa pine          | PPO     | 1            | \$200       | \$190  | \$175  | \$155 | \$ 5      |
|                         |         | 2            | 160         | 150    | 135    | 115   | \$ 5<br>5 |
|                         |         | 3            | 125         | 115    | 100    | 80    | 5         |
| Sugar pine              | SPO     | 1            | 265         | 255    | 240    | 220   | 60        |
|                         | 1       | 2            | 215         | 205    | 190    | 170   | 60        |
|                         |         | 3            | 175         | 165    | 150    | 130   | 60        |
| Fir                     | FO      |              | 80          | 70     | 55     | 35    | 1         |
| Douglas fir             | DFO     | 1            | 200         | 190    | 175    | 155   | 5         |
|                         |         | 2            | 160         | 150    | 135    | 115   | 5         |
|                         |         | 3            | 140         | 130    | 115    | 95    | 5         |
| Incense cedar           | ICO     |              | 115         | 105    | 90     | 70    | 1         |
| Port Orford cedar       | PCO     | -            | 300         | 290    | 275    | 255   | 145       |
| Conifers, miscellaneous | СМО     | -            | 55          | 45     | 30     | 10    | 1         |

Deduction if total volume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.

<sup>2.</sup> Deduction if average valume per acre on the harvest operation is under 5 M/acre -\$10.

<sup>3. \$1</sup> per M is minimum harvest value after adjustment.

TABLE 4--YOUNG GROWTH HARVEST VALUES
(Per M Board Feet)

|                                 | SPECIES    | LOGGING CODE & HARVEST VALUE |           |           |             |      |
|---------------------------------|------------|------------------------------|-----------|-----------|-------------|------|
| SPECIES                         | CODE       | 1                            | 2         | 3         | 4           | 5    |
| Ponderosa pine                  | PPY        | \$ 55                        | \$ 45     | \$ 30     | \$ 10<br>15 | \$ 1 |
| Sugar pine<br>Fir               | SPY<br>FY  | 60<br>35                     | 50<br>25  | 35<br>10  | 1           | 1    |
| Douglas fir                     | DFY        | 60                           | 50        | 35        | 15          | 1 1  |
| Incense cedar Port Orford cedar | ICY<br>PCY | 40<br>240                    | 30<br>230 | 15<br>215 | 195         | 85   |
| Conifers, miscellaneous         | · CMY      | 20                           | 10        | 1         | 1           | 1    |

- 1. Deduction if total volume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.
- 2. Deduction if average volume per acre on the harvest operation is under 5 M/acre -\$10.
- 3. \$1 per M is minimum harvest value after adjustment.

TABLE 5--SALVAGE OLD GROWTH HARVEST VALUES
(Per M Board Feet)

|  | SPECIES                                      | L  | OGGING C                                    | DE & HAR                             | VEST VAL                           | UE                            |
|--|--|--|---|--------------------------------------|------------------------------------|-------------------------------|
| SPECIES  | CODE   | 1  | 2   | 3                                    | 4                                  | 5                             |
| Salvage ponderosa pine Salvage sugar pine Salvage fir Salvage Douglas fir Salvage incense cedar Salvage Port Orford cedar Salvage miscellaneous conifers | ZPP<br>ZSP<br>ZF<br>ZDF<br>ZIC<br>ZPC<br>ZCM | \$ 80<br>120<br>50<br>100<br>70<br>140<br>25 | \$ 70<br>110<br>40<br>90<br>60<br>130<br>15 | \$ 55<br>95<br>25<br>75<br>45<br>115 | \$ 35<br>75<br>5<br>55<br>25<br>95 | \$ 1<br>1<br>1<br>1<br>1<br>1 |

- 1. Deduction if total volume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.
- 2. \$1 per M is minimum harvest value after adjustment.

TABLE 6--SALVAGE YOUNG GROWTH HARVEST VALUES
(Per M Board Feet)

|                                | SPECIES | LOGGING CODE & HARVEST VALUE |       |      |      |      |  |
|--------------------------------|---------|------------------------------|-------|------|------|------|--|
| SPECIES                        | CODE    | 1                            | 2     | 3    | 4    | 5    |  |
| Salvage ponderosa pine         | APP     | \$ 20                        | \$ 10 | \$ 1 | \$ 1 | \$ 1 |  |
| Salvage sugar pine             | ASP     | 30                           | 20    | 5    | 1    | 1    |  |
| Salvage fir                    | AF      | 10                           | 1     | 1    | 1    | 1    |  |
| Salvage Douglas fir            | ADF     | 20                           | 10    | 1    | 1    | 1    |  |
| Salvage incense cedar          | AIC     | 5                            | 1     | 1    | 1    | 1    |  |
| Salvage Port Orford cedar      | APC     | 75                           | 65    | 50   | 30   | 1    |  |
| Salvage miscellaneous conifers | ACM     | 5                            | 1     | -1   | 1    | 1    |  |

- 1. Deduction if total volume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.
- 2. \$1 per M is minimum harvest value after adjustment.

TABLE 2--\$IZE-QUALITY RATING FOR OLD GROWTH
Average Net Volume Per Log (Board Feet)

| SPECIES        |          | SIZE-QUALITY COD | Ε         |
|----------------|----------|------------------|-----------|
| SPECIES        | 1        | 2                | 3         |
| Ponderosa pine | Over 320 | 320 225          | Under 225 |
| Sugar pine     | Over 470 | 470 - 330        | Under 330 |
| Douglas fir    | Over 320 | 320 - 220        | Under 220 |

TABLE 3--OLD GROWTH HARVEST VALUES
(Per M Board Feet)

| SPECIES                 | SPECIES | SIZE-<br>QUALITY | LOGG          | SING CO | DE & HA | RVEST V | ALUE |
|-------------------------|---------|------------------|---------------|---------|---------|---------|------|
| or Loils                | CODE    | CODE             | 1             | 2       | 3       | 4       | 5    |
| Ponderosa pine          | PPO     | 1                | <b>\$</b> 175 | \$165   | \$150   | \$130   | \$ 1 |
|                         |         | 2                | 150           | 140     | 125     | 105     | ī    |
|                         |         | 3                | 130           | 120     | 105     | 85      | 1    |
| Sugar pine              | SPO     | 1                | 195           | 185     | 170     | 150     | 15   |
|                         |         | 2                | 170           | 160     | 145     | 125     | 15   |
|                         |         | 3                | 155           | 145     | 130     | 110     | 15   |
| Fir                     | FO      | 1                | 70            | 60      | 45      | 25      | 1    |
| Douglas fir             | DFO     | 1                | 140           | 130     | 115     | 95      | 1    |
|                         |         | 2                | 120           | 110     | 95      | 75      | 1    |
|                         |         | 3                | 90            | 80      | 65      | 45      | 1    |
| Incense cedar           | ICO     | -                | 110           | 100     | 85      | 65      | 1    |
| Port Orford cedar       | PCO     | -                | 300           | 290     | 275     | 255     | 145  |
| Conifers, miscellaneous | CMO     |                  | 45            | 35      | 20      | 1       | 1    |

Deduction if total valume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.

<sup>2.</sup> Deduction if average volume per acre on the harvest operation is under 5 M/acre -\$10.

<sup>3. \$1</sup> per M is minimum harvest value after adjustment.

### TABLE 4--YOUNG GROWTH HARVEST VALUES (Per M Board Feet)

|                         | SPECIES | L     | OGGING CO | DE & HAF | RVEST VAL | UE   |
|-------------------------|---------|-------|-----------|----------|-----------|------|
| SPECIES                 | CODE    | 1     | 2         | 3        | 4         | 5    |
| Panderosa pine          | PPY     | \$ 45 | \$ 35     | \$ 20    | \$ 1      | \$ 1 |
| Sugar pine              | SPY     | 55    | 45        | 30       | 10        | ] 1  |
| Fir                     | FY      | 30    | 20        | 5        | 1 1       | 1    |
| Douglas fir             | DFY     | 45    | 35.       | 20       | 1         | 1    |
| Incense cedar           | ICY     | 40    | 30        | 15       | 1         | 1    |
| Port Orford cedar       | PCY     | 240   | 230       | 215      | 195       | 85   |
| Conifers, miscellaneous | CMY     | 20    | 10        | 1        | 1         | 1    |

- 1. Deduction if total volume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.
- 2. Deduction if average volume per acre on the harvest operation is under 5 M/acre -\$10.
- 3. \$1 per M is minimum harvest value after adjustment.

TABLE 5--SALVAGE OLD GROWTH HARVEST VALUES (Per M Board Feet)

|                                |          | 1     |           |          |          |      |
|--------------------------------|----------|-------|-----------|----------|----------|------|
|                                | SPECIES  | l     | OGGING CO | DE & HAR | VEST VAL | .UE  |
| SPECIES                        | CODE     | 1     | 2         | 3        | 4        | 5    |
| Salvage ponderosa pine         | ZPP -    | \$ 75 | \$ 65     | \$ 50    | \$ 40    | \$ 1 |
| Salvage sugar pine             | ZSP      | 85    | 75        | 60       | 40       | 1    |
| Salvage fir                    | ZF       | 45    | 35        | 20       | 1        | 1    |
| Salvage Douglas fir            | ZDF      | 50    | 40        | 25       | 5        | 1    |
| Salvage incense cedar          | ZIC      | 50    | 40        | 25       | 5        | 1    |
| Salvage Port Orford cedar      | ZPC      | 140   | 130       | 115      | 95       | 1    |
| Salvage miscellaneous conifers | ZCM      | 25    | 15        | - 1      | 1        | 1    |
| 1                              | <b>1</b> |       | 1         | ł .      | i        |      |

- Deduction if total volume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.
- 2. \$4 per M is minimum harvest value after adjustment.

TABLE 6--SALVAGE YOUNG GROWTH HARVEST VALUES
(Per M Board Feet)

|  | SPECIES | ECIES LOGGING CODE & HARVEST V |           |           |           |           |  |
|--|---------|--------------------------------|-----------|-----------|-----------|-----------|--|
| SPECIES                                      | CODE    | 1                              | 2         | . 3       | 4         | 5         |  |
| Salvage ponderosa pine<br>Salvage sugar pine | APP     | \$ 5<br>10                     | \$ 1<br>1 | \$ 1<br>1 | \$ 1<br>1 | \$ 1<br>1 |  |
| Salvage fir                                  | AF      | 5                              | 1         | 1         | 1         | 1         |  |
| Salvage Douglas fir                          | ADF     | 10                             | 1         | 1         | 1         | 1         |  |
| Salvage incense cedar                        | AIC     | 5                              | 1         | 1         | 1         | 1         |  |
| Salvage Port Orford cedar                    | APC     | 75                             | 65        | 50        | 30        | 1         |  |
| Salvage miscellaneous conifers               | ACM     | 5                              | 1         | 1         | 1         | 1         |  |

- 1. Deduction if total volume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.
- 2. \$1 per M is minimum harvest value after adjustment.

TABLE 2--SIZE-QUALITY RATING FOR OLD GROWTH
Average Net Volume Per Log (Board Feet)

| SPECIES                      |                      | SIZE-QUALITY CODE      |                        |
|------------------------------|----------------------|------------------------|------------------------|
|                              |                      | 2                      | 3                      |
| Panderosa pine<br>Sugar pine | Over 320             | 320 - 225              | Under 225              |
| Douglas fir                  | Over 470<br>Over 320 | 470 - 330<br>320 - 220 | Under 330<br>Under 220 |

TABLE 3--OLD GROWTH HARVEST VALUES (Per M Board Feet)

| SPECIES                                | SPECIES | SIZE-<br>QUALITY | LOGGING CODE & HARVEST VALUE |                    |                   |                   |             |  |  |
|--|---------|------------------|------------------------------|--------------------|-------------------|-------------------|-------------|--|--|
| ************************************** | CODE    | CODE             | 1                            | 2                  | 3                 | 4                 | 5           |  |  |
| Ponderosa pine                         | PPO     | 1<br>2<br>3      | \$160<br>120<br>80           | \$150<br>110<br>70 | \$125<br>85<br>45 | \$115<br>75<br>35 | \$ 1<br>1   |  |  |
| Sugar pine                             | SPO     | 1<br>2<br>3      | 150<br>120<br>90             | 140<br>110<br>80   | 115<br>85<br>55   | 105<br>75<br>45   | 1<br>1<br>1 |  |  |
| Fir                                    | FO      | -                | 45                           | 35                 | 10                | 1                 | 1           |  |  |
| Douglas fir                            | DFO     | 1<br>2<br>3      | 130<br>100<br>80             | 120<br>90<br>70    | 95<br>65<br>45    | 85<br>55<br>35    | 1<br>1<br>1 |  |  |
| Incense cedar                          | ICO     |                  | 100                          | 90                 | 65                | 55                | 1           |  |  |
| Conifers, miscellaneous                | СМО     | -                | 30                           | 20                 | 1                 | 1                 | 1           |  |  |

<sup>1.</sup> Deduction if total volume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.

<sup>2.</sup> Deduction if average volume per acre on the harvest operation is under 5 M/acre -\$10.

<sup>3. \$1</sup> per M is minimum harvest value after adjustment.

## TABLE 4—YOUNG GROWTH HARVEST VALUES (Per M Board Feet)

|   | SPECIES                                     | l L                                       | OGGING C                                 | ODE & HAR                               | VEST VAL                            | UE                            |  |  |  |
|---|---|---|--|---|-------------------------------------|-------------------------------|--|--|--|
| SPECIES   | CODE  | 1   | 2  | 3                                       | 4                                   | - 5                           |  |  |  |
| Ponderosa pine Sugar pine Fir Douglas fir Incense cedar Conifers, miscellaneous Redwood | PPY<br>SPY<br>FY<br>DFY<br>ICY<br>CMY<br>RY | \$ 50<br>50<br>20<br>50<br>40<br>10<br>80 | \$ 40<br>40<br>10<br>40<br>30<br>1<br>70 | \$ 25<br>25<br>1<br>25<br>15<br>1<br>55 | \$ 5<br>1<br>5<br>1<br>1<br>1<br>35 | \$ 1<br>1<br>1<br>1<br>1<br>1 |  |  |  |

- 1. Deduction if total volume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.
- 2. Deduction if average volume per acre on the harvest operation is under 5 M/acre -\$10.
- 3. \$1 per M is minimum harvest value after adjustment.

TABLE 5—SALVAGE OLD GROWTH HARVEST VALUES (Per M Board Feet)

|                                | SPECIES | LOGGING CODE & HARVEST VALUE |       |       |       |      |  |
|--------------------------------|---------|------------------------------|-------|-------|-------|------|--|
| SPECIES                        | CODE    | 1                            | 2     | 3     | 4     | 5    |  |
| Salvage ponderosa pine         | ZPP     | \$ 80                        | \$ 70 | \$ 45 | \$ 35 | \$ 1 |  |
| Salvage sugar pine             | ZSP     | 80                           | 70    | 45    | 35    | 1    |  |
| Salvage fir                    | ZF      | 30                           | 20    | 1     | 1     | 1    |  |
| Salvage Douglas fir            | ZDF     | 70                           | 60    | 35    | 25    | 1    |  |
| Salvage incense cedar          | ZIC     | 40                           | 30    | 5     | 1     | 1    |  |
| Salvage miscellaneous conifers | ZCM     | 10                           | 1     | 1     | 1     | 1    |  |

- 1. Deduction if total volume on the harvest operation is under 300 M =\$15, under 100 M =\$25, under 25 M =\$40.
- 2. \$1 per M is minimum harvest value after adjustment.

TABLE 6-SALVAGE YOUNG GROWTH HARVEST VALUES

(Per M Board Feet)

|  | SPECIES                 |                        | OGGING (       | CODE & HA      | RVEST VAL           | UE             |
|--|-------------------------|------------------------|----------------|----------------|---------------------|----------------|
| SPECIES  | CODE                    | 1                      | 2              | 3              | 4                   | 5              |
| Salvage ponderosa pine<br>Salvage sugar pine<br>Salvage fir<br>Salvage Douglas fir | APP<br>ASP<br>AF<br>ADF | \$ 10<br>10<br>5<br>10 | \$ 1<br>1<br>1 | \$ 1<br>1<br>1 | \$ 1<br>1<br>1<br>1 | \$ 1<br>1<br>1 |
| Salvage incense cedar Salvage miscellaneous conifers Salvage redwood               | AIC<br>ACM<br>AR        | 10<br>5<br>45          | 1<br>1<br>35   | 1<br>1<br>20   | 1 1                 | 1 1            |

- 1. Deduction if total volume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.
- 2. \$1 per M is minimum harvest value after adjustment.

TABLE 2-SIZE-QUALITY RATING FOR OLD GROWTH
Average Net Volume Per Log (Board Feet)

| SPECIES        |          | SIZE-QUALITY CODE |           |  |  |  |  |  |
|----------------|----------|-------------------|-----------|--|--|--|--|--|
| 3720123        | 1        | 2                 | 3         |  |  |  |  |  |
| Ponderosa pine | Over 400 | 400 - 250         | Under 250 |  |  |  |  |  |
| Sugar pine     | Over 625 | 625 - 360         | Under 360 |  |  |  |  |  |
| Douglas fir    | Over 380 | 380 - 250         | Under 250 |  |  |  |  |  |

### TABLE 3—OLD GROWTH HARVEST VALUES (Per M Board Feet)

| SPECIES                 | SPECIES | SIZE- | LOG   | GING CO | DE & HA | RVEST \ | ALUE  |
|-------------------------|---------|-------|-------|---------|---------|---------|-------|
| SPECIES                 | CODE    | CODE  | 1     | 2       | 3       | 4       | 5     |
| Ponderosa pine          | PPO     | 1     | \$190 | \$180   | \$160   | \$140   | \$ 15 |
|                         |         | 2     | 170   | 160     | 140     | 120     | 15    |
|                         |         | 3     | 150   | 140     | 120     | 100     | 15    |
| Sugar pine              | SPO     | 1     | 195   | 185     | 165     | 145     | 20    |
|                         |         | 2     | 175   | 165     | 145     | 125     | 20    |
| •                       |         | 3     | 155   | 145     | 125     | 105     | 20    |
| Fir                     | FO      | _     | 70    | 60      | 40      | 20      | 1     |
| Douglas fir             | DFO     | 1     | 110   | 100     | 80      | 60      | 1     |
|                         |         | 2     | 100   | 90      | 70      | 50      | 1     |
| ····                    |         | 3     | 90    | 80      | 60      | 40      | 1     |
| Incense cedar           | ICO     |       | 130   | 120     | 100     | 80      | 1     |
| Conifers, miscellaneous | СМО     | -     | 50    | 40      | 20      | 1       | 1     |

- 1. Deduction if total volume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.
- Deduction if average valume per acre on the harvest operation is under 5 M/acre --\$10.
- 3. \$1 per M is minimum horvest value after adjustment.

### TABLE 4--YOUNG GROWTH HARVEST VALUES (Per M Board Feet)

|   | SPECIES                               | L                                   | OGGING C                            | ODE & HAR                    | HARVEST VALUE               |                          |  |  |  |
|---|---------------------------------------|-------------------------------------|-------------------------------------|------------------------------|-----------------------------|--------------------------|--|--|--|
| SPECIES   | CODE                                  | 1                                   | 2                                   | 3                            | 4                           | 5                        |  |  |  |
| Ponderosa pine Sugar pine Fir Douglas fir Incense cedar Conifers, miscellaneous | PPY<br>SPY<br>FY<br>DFY<br>ICY<br>CMY | \$ 60<br>70<br>30<br>60<br>40<br>30 | \$ 50<br>60<br>20<br>50<br>30<br>20 | \$ 30<br>40<br>1<br>30<br>10 | \$ 10<br>20<br>1<br>10<br>1 | \$ 1<br>1<br>1<br>1<br>1 |  |  |  |

- 1. Deduction if total volume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.
- 2. Deduction if average volume per acre on the harvest operation is under 5 M/acre -\$10.
- 3. \$1 per M is minimum harvest value after adjustment.

TABLE 5--SALVAGE OLD GROWTH HARVEST VALUES

(Per M Board Feet)

|  | SPECIES                               | UE                                  |                                    |                                    |                                  |                               |
|--|---------------------------------------|-------------------------------------|------------------------------------|------------------------------------|----------------------------------|-------------------------------|
| SPECIES  | CODE                                  | 1                                   | 2                                  | 3                                  | 4                                | 5                             |
| Salvage ponderosa pine Salvage sugar pine Salvage fir Salvage Douglas fir Salvage incense cedar Salvage miscellaneous conifers | ZPP<br>ZSP<br>ZF<br>ZDF<br>ZIC<br>ZCM | \$ 60<br>70<br>50<br>50<br>60<br>15 | \$ 50<br>60<br>40<br>40<br>50<br>5 | \$ 30<br>40<br>20<br>20<br>30<br>1 | \$ 10<br>20<br>1<br>1<br>10<br>1 | \$ 1<br>1<br>1<br>1<br>1<br>1 |

- 1. Deduction if total volume on the harvest operation is under 300 M =\$15, under 100 M =\$25, under 25 M =\$40.
- 2. \$1 per M is minimum harvest value after adjustment.

### TABLE 6--SALVAGE YOUNG GROWTH HARVEST VALUES

| CDECIEC  | SPECIES                               | L                                 | OGGING C                 | ODE & HA                 | RVEST VAL                | UE                       |
|--|---------------------------------------|-----------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| SPECIES  | CODE                                  | 1                                 | 2                        | 3                        | 4                        | 5                        |
| Salvage ponderosa pine Salvage sugar pine Salvage fir Salvage Douglas fir Salvage incense cedar Salvage miscellaneous conifers | APP<br>ASP<br>AF<br>ADF<br>AIC<br>ACM | \$ 10<br>10<br>5<br>10<br>10<br>5 | \$ 1<br>1<br>1<br>1<br>1 | \$ 1<br>1<br>1<br>1<br>1 | \$ 1<br>1<br>1<br>1<br>1 | \$ 1<br>1<br>1<br>1<br>1 |

- 1. Deduction if total volume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.
- 2. \$1 per M is minimum harvest value after adjustment.

TABLE 2—SIZE-QUALITY RATING FOR OLD GROWTH
Average Net Volume Per Log (Board Feet)

| SPECIES        |          | SIZE-QUALITY CODE |           |  |  |  |  |
|----------------|----------|-------------------|-----------|--|--|--|--|
| Jr LCIL3       |          | 2                 | 3         |  |  |  |  |
| Ponderosa pine | Over 400 | 400 - 250         | Under 250 |  |  |  |  |
| Sugar pine     | Over 625 | 625 - 360         | Under 360 |  |  |  |  |
| Douglas fir    | Over 380 | 380 - 250         | Under 250 |  |  |  |  |

TABLE 3-OLD GROWTH HARVEST VALUES (Per M Board Feet)

| SPECIES                 | SPECIES | SIZE-       | LOC                 | GING CO             | DE & HAI           | RVEST V            | 'ALUE          |
|-------------------------|---------|-------------|---------------------|---------------------|--------------------|--------------------|----------------|
|                         | CODE    | CODE        | 1                   | 2                   | . 3                | 4                  | , 5            |
| Ponderosa pine          | PPO     | 1<br>2<br>3 | \$200<br>160<br>110 | \$190<br>150<br>100 | \$160<br>120<br>70 | \$145<br>105<br>55 | \$ 5<br>5<br>5 |
| Sugar pine              | SPO     | 1<br>2<br>3 | 210<br>180<br>140   | 200<br>170<br>130   | 170<br>140<br>100  | 155<br>125<br>85   | 25<br>25<br>25 |
| Fir                     | FO      | _           | 60                  | 50                  | 20                 | 5                  | 1              |
| Douglas fir             | DFO     | 1<br>2<br>3 | 130<br>110<br>70    | 120<br>100<br>60    | 90<br>70<br>30     | 75<br>55<br>15     | 1<br>1<br>1    |
| Incense cedar           | ICO     |             | 120                 | 110                 | 80                 | 65                 | 1              |
| Conifers, miscellaneous | СМО     |             | 40                  | 30                  | 1                  | 1                  | 1              |

<sup>1.</sup> Deduction if total volume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.

<sup>2.</sup> Deduction if average volume per acre on the harvest operation is under 5 M/acre -\$10.

<sup>3. \$1</sup> per M is minimum harvest value after adjustment.

TABLE 4--YOUNG GROWTH HARVEST VALUES

(Per M Board Feet)

|   | SPECIES                                      | LOGGING CODE & HARVEST VALUE              |                                    |                                 |                               |                               |  |
|---|--|---|------------------------------------|---------------------------------|-------------------------------|-------------------------------|--|
| SPECIES   | CODE   | 1   | 2                                  | 3                               | 4                             | 5                             |  |
| Ponderosa pine Sugar pine Fir Douglas fir Incense cedar Conifers, miscellaneous Jeffrey pine* | PPY<br>SPY<br>FY<br>DFY<br>ICY<br>CMY<br>JPY | \$ 60<br>60<br>20<br>40<br>40<br>15<br>20 | \$ 50<br>50<br>10<br>30<br>30<br>5 | \$ 20<br>20<br>1<br>1<br>1<br>1 | \$ 5<br>5<br>1<br>1<br>1<br>1 | \$ 1<br>1<br>1<br>1<br>1<br>1 |  |

<sup>\*</sup>On the eastern slope of the Sierra Nevada only.

- 1. Deduction if total volume on the harvest operation is under 300 M =\$15, under 100 M =\$25, under 25 M =\$40.
- 2. Deduction if average volume per acre on the harvest operation is under 5 M/acre -\$10.
- 3. \$1 per M is minimum harvest value after adjustment.

TABLE 5-SALVAGE OLD GROWTH HARVEST VALUES

(Per M Board Feet)

|  | SPECIES                               |                                     | OGGING C                            | ODE & HARVEST VALUE         |                           |                          |  |  |
|--|---------------------------------------|-------------------------------------|-------------------------------------|-----------------------------|---------------------------|--------------------------|--|--|
| SPECIES  | CODE                                  | 1                                   | 2                                   | 3                           | 4                         | 5                        |  |  |
| Salvage ponderosa pine Salvage sugar pine Salvage fir Salvage Douglas fir Salvage incense cedar Salvage miscellaneous conifers | ZPP<br>ZSP<br>ZF<br>ZDF<br>ZIC<br>ZCM | \$ 55<br>70<br>30<br>50<br>40<br>20 | \$ 45<br>60<br>20<br>40<br>30<br>10 | \$ 15<br>30<br>1<br>10<br>1 | \$ 1<br>15<br>1<br>1<br>1 | \$ 1<br>1<br>1<br>1<br>1 |  |  |

- 1. Deduction if total volume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.
- 2. \$1 per M is minimum harvest value after adjustment.

TABLE 6--SALVAGE YOUNG GROWTH HARVEST VALUES

|  | SPECIES                               | LOGGING CODE & HARVEST VALUE      |                              |                          |                          |                          |  |
|--|---------------------------------------|-----------------------------------|------------------------------|--------------------------|--------------------------|--------------------------|--|
| SPECIES  | CODE                                  | 1                                 | 2                            | 3                        | 4                        | 5                        |  |
| Salvage ponderosa pine Salvage sugar pine Salvage fir Salvage Douglas fir Salvage incense cedar Salvage miscellaneous conifers | APP<br>ASP<br>AF<br>ADF<br>AIC<br>ACM | \$ 30<br>30<br>5<br>20<br>20<br>5 | \$ 20<br>20<br>1<br>10<br>10 | \$ 1<br>1<br>1<br>1<br>1 | \$ 1<br>1<br>1<br>1<br>1 | \$ 1<br>1<br>1<br>1<br>1 |  |

- 1. Deduction if total volume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.
- 2. \$1 per M is minimum harvest value after adjustment.

TABLE 2—SIZE-QUALITY RATING FOR OLD GROWTH
Average Net Volume Per Log (Board Feet)

| SPECIES        |          | SIZE-QUALITY CODE |           |
|----------------|----------|-------------------|-----------|
|                | 1        | 2                 | 3         |
| Ponderosa pine | Over 400 | 400 - 250         | Under 250 |
| Sugar pine     | Over 625 | 625 - 360         | Under 360 |
| Douglas fir    | Over 380 | 380 - 250         | Under 250 |

TABLE 3-OLD GROWTH HARVEST VALUES (Per M Board Feet)

| SPECIES                 | SPECIES | SIZE.       | LO                 | GING CO            | DE & HA           | RVEST V           | ALUE           |
|-------------------------|---------|-------------|--------------------|--------------------|-------------------|-------------------|----------------|
| JI LUIES                | CODE    | CODE        | 1                  | 2                  | 3                 | 4                 | 5              |
| Ponderosa pine          | PPO     | 1<br>2<br>3 | \$150<br>120<br>90 | \$140<br>110<br>80 | \$110<br>80<br>50 | \$ 95<br>65<br>35 | \$ 1<br>1<br>1 |
| Sugar pine              | SPO     | 1<br>2<br>3 | 180<br>150<br>120  | 170<br>140<br>110  | 140<br>110<br>80  | 125<br>95<br>65   | 1<br>1<br>1    |
| Fir                     | FO      | -           | 50                 | 40                 | 10                | 1                 | 1              |
| Douglas fir             | DFO     | 1<br>2<br>3 | 110<br>90<br>70    | 100<br>80<br>60    | 70<br>50<br>30    | 55<br>35<br>15    | 1 1            |
| Incense cedar           | ICO     | -           | 110                | 100                | 70                | 55                | 1              |
| Conifers, miscellaneous | СМО     |             | 40                 | 30.                | 1                 | 1                 | 1              |

<sup>1.</sup> Deduction if total volume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.

<sup>2.</sup> Deduction if average volume per acre on the harvest operation is under 5 M/acre -\$10.

<sup>3. \$1</sup> per M is minimum harvest value after adjustment.

# TABLE 4-YOUNG GROWTH HARVEST VALUES (Per M Board Feet)

|   | SPECIES                               | LOGGING CODE & HARVEST VALUE  |                               |                                  |                          |                          |  |  |
|---|---------------------------------------|-------------------------------|-------------------------------|----------------------------------|--------------------------|--------------------------|--|--|
| •   | CODE                                  | 1                             | 2                             | 3                                | • 4                      | 5                        |  |  |
| Ponderosa pine Sugar pine Fir Douglas fir Incense cedar Conifers, miscellaneous | PPY<br>SPY<br>FY<br>DFY<br>ICY<br>CMY | \$ 60<br>60<br>20<br>30<br>50 | \$ 50<br>50<br>10<br>20<br>40 | \$ 20<br>20<br>1<br>1<br>10<br>1 | \$ 5<br>5<br>1<br>1<br>1 | \$ 1<br>1<br>1<br>1<br>1 |  |  |

- 1. Deduction if total volume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.
- 2. Deduction if average volume per acre on the harvest operation is under 5 M/acre -\$10.
- 3. \$1 per M is minimum harvest value after adjustment.

TABLE 5--SALVAGE OLD GROWTH HARVEST VALUES

(Per M Board Feet)

|  | SPECIES                | LOGGING CODE & HARVEST VALUE        |                                    |                                |                          |                          |  |
|--|------------------------|-------------------------------------|------------------------------------|--------------------------------|--------------------------|--------------------------|--|
| SPECIES  | CODE                   | 1                                   | 2                                  | 3                              | 4                        | 5                        |  |
| Salvage ponderosa pine Salvage sugar pine Salvage fir Salvage Douglas fir Salvage incense cedar Salvage miscellaneous conifers | ZPP ZSP ZF ZDF ZIC ZCM | \$ 40<br>50<br>30<br>30<br>40<br>10 | \$ 30<br>40<br>20<br>20<br>30<br>1 | \$ 1<br>10<br>1<br>1<br>1<br>1 | \$ 1<br>1<br>1<br>1<br>1 | \$ 1<br>1<br>1<br>1<br>1 |  |

- 1. Deduction if total volume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.
- 2. \$1 per M is minimum harvest value after adjustment.

TABLE 6--SALVAGE YOUNG GROWTH HARVEST VALUES

|  | SPECIES                               | LOGGING CODE & HARVEST VALUE      |                                  |                          |                          |    |  |
|--|---------------------------------------|-----------------------------------|----------------------------------|--------------------------|--------------------------|----|--|
| SPECIES  | CODE                                  | 1                                 | 2                                | 3                        | 4                        |    |  |
| Salvage ponderosa pine Salvage sugar pine Salvage fir Salvage Douglas fir Salvage incense cedar Salvage miscellaneous conifers | APP<br>ASP<br>AF<br>ADF<br>AIC<br>ACM | \$ 20<br>20<br>5<br>10<br>20<br>5 | \$ 10<br>10<br>1<br>1<br>10<br>1 | \$ 1<br>1<br>1<br>1<br>1 | \$ 1<br>1<br>1<br>1<br>1 | \$ |  |

- 1. Deduction if total volume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.
- 2. \$1 per M is minimum harvest value after adjustment.

### TIMBER VALUE AREA 9 NORTHERN PORTION\*

#### TABLE 2--SIZE-QUALITY RATING FOR OLD GROWTH

Average Net Volume Per Log (Board Feet)

| SPECIES -                    |                      | SIZE-QUALITY COD       | E                      |
|------------------------------|----------------------|------------------------|------------------------|
|                              | ì                    | 2                      | 3                      |
| Ponderosa pine<br>Sugar pine | Over 400<br>Over 625 | 400 - 250<br>625 - 360 | Under 250<br>Under 360 |

## TABLE 3-OLD GROWTH HARVEST VALUES (Per M Board Feet)

| 0050154                 | SPECIES | SIZE-       | LOC               | GING CO           | DE & HAI          | RVEST V          | ALUÉ           |
|-------------------------|---------|-------------|-------------------|-------------------|-------------------|------------------|----------------|
| SPECIES                 | CODE    | CODE        | 1                 | 2                 | 3                 | 4                | 5              |
| Ponderosa pine          | PPO     | 1<br>2<br>3 | \$100<br>80<br>60 | \$ 90<br>70<br>50 | \$ 60<br>40<br>20 | \$ 45<br>25<br>5 | \$ 1<br>1<br>1 |
| Sugar pine              | SPO     | 1<br>2<br>3 | 100<br>80<br>60   | 90<br>70<br>50    | 60<br>40<br>20    | 45<br>25<br>5    | 1<br>1<br>1    |
| Fir                     | FO      | _           | 40                | 30                | 1                 | 1                | 1              |
| Douglas fir             | DFO     | -           | 40                | 30                | 1                 | 1                | 1              |
| Incense cedar           | ICO     | -           | 80                | 70                | 40                | 25               | 1              |
| Conifers, miscellaneous | СМО     | - ·         | 30                | 20                | 1                 | 1                | 1              |

Deduction if total volume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.

<sup>2.</sup> Deduction if average volume per acre on the harvest operation is under 5 M/acre -\$10.

<sup>3. \$1</sup> per M is minimum harvest value after adjustment.

<sup>\*</sup>The northern portion of timber value area 9 consists of the following counties: Alpine, Fresno, Inyo, Kern, Kings, Madera, Mariposa, Merced, Mono, San Benito, San Joaquin, Stanislaus, and Tulare.

### TIMBER VALUE AREA 9 NORTHERN PORTION

#### TABLE 4--YOUNG GROWTH HARVEST VALUES

(Per M Board Feet)

| SPECIES                 | SPECIES | LOGGING CODE & HARVEST VALUE |       |       |      |      |  |  |
|-------------------------|---------|------------------------------|-------|-------|------|------|--|--|
|                         | CODE    | 1                            | 2     | 3     | 4    | 5    |  |  |
| Ponderosa pine          | PPY     | \$ 50                        | \$ 40 | \$ 10 | \$ 1 | \$ 1 |  |  |
| Sugar pine              | SPY     | 50                           | 40    | 10    | 1    | 1    |  |  |
| Fir                     | FY      | 20                           | 10    | 1     | 1    | 1    |  |  |
| Douglas fir             | DFY     | 20                           | 10    | 1     | 1    | 1    |  |  |
| Incense cedar           | ICY     | 40                           | 30    | 1     | 1    | 1    |  |  |
| Conifers, miscellaneous | CMY     | 10                           | 1     | 1     | 1    | 1    |  |  |

- 1. Deduction if total volume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.
- 2. Deduction if average volume per acre on the harvest operation is under 5 M/acre -\$10.
- 3. \$1 per M is minimum harvest value after adjustment.

TABLE 5--SALVAGE OLD GROWTH HARVEST VALUES

(Per M Board Feet)

| SPECIES  | SPECIES    | LOGGING CODE & HARVEST VALUE |             |      |  |  |  |  |
|--|------------|------------------------------|-------------|------|--|--|--|--|
|  | CODE       | 1                            | 2           | . 3  | 4                                      | 5                                      |  |  |
| Salvage ponderosa pine<br>Salvage sugar pine         | ZPP<br>ZSP | \$ 40<br>40                  | \$ 30<br>30 | \$ 1 | \$ 1<br>1                              | \$ 1<br>1                              |  |  |
| Salvage fir<br>Salvage Douglas fir                   | ZF<br>ZDF  | 20<br>20                     | 10          | 1 1  | 1 1                                    | 1 1                                    |  |  |
| Salvage incense cedar Salvage miscellaneous conifers | ZIC<br>ZCM | 20<br>10                     | 10          | 1 1  | $\begin{vmatrix} 1 \\ 1 \end{vmatrix}$ | $\begin{vmatrix} 1 \\ 1 \end{vmatrix}$ |  |  |

- 1. Deduction if total volume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.
- 2. \$1 per M is minimum harvest value after adjustment.

TABLE 6--SALVAGE YOUNG GROWTH HARVEST VALUES

| SPECIES                        | SPECIES | LOGGING CODE & HARVEST VALUE |       |      |      |      |  |  |
|--------------------------------|---------|------------------------------|-------|------|------|------|--|--|
|                                | CODE    | 1                            | 2     | 3    | 4    | 5    |  |  |
| Salvage ponderosa pine         | APP     | \$ 20                        | \$ 10 | \$ 1 | \$ 1 | \$ 1 |  |  |
| Salvage sugar pine             | ASP     | 20                           | 10    | 1    | 1    | 1    |  |  |
| Salvage fir                    | AF      | 5                            | 1     | 1    | 1    | 1    |  |  |
| Salvage Douglas fir            | ADF     | 5                            | 1     | 1    | 1    | 1    |  |  |
| Salvage incense cedar          | AIC     | 20                           | 10    | 1    | 1    | 1    |  |  |
| Salvage miscellaneous conifers | ACM     | 5                            | 1     | 1    | 1    | 1    |  |  |

- 1. Deduction if total volume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.
- 2. \$1 per M is minimum harvest value after adjustment.

### TIMBER VALUE AREA 9 SOUTHERN PORTION\*

#### TABLE 2--SIZE-QUALITY RATING FOR OLD GROWTH

Timber is not rated for size in this area.

TABLE 3--OLD GROWTH HARVEST VALUES
(Per M Board Feet)

| SPECIES                 | SPECIES SIZE- |            | LOGGING CODE & HARVEST VALUE |       |      |      |      |  |
|-------------------------|---------------|------------|------------------------------|-------|------|------|------|--|
|                         | CODE          | CODE       | 1                            | 2     | 3    | 4    | 5    |  |
| Ponderosa pine          | PPO           | _          | \$ 30                        | \$ 20 | \$ 1 | \$ 1 | \$ 1 |  |
| Sugar pine              | SPO           | _          | 30                           | 20    | l ī  | i    | ĩ    |  |
| Fir                     | FO            | _          | 20                           | 10    | Ī    | 1    | ī    |  |
| Douglas fir             | DFO           | <b>.</b> . | 20                           | 10    | 1    | 1    | i    |  |
| Incense cedar           | ICO           | _          | 10                           | 1     | i    | 1    | i    |  |
| Conifers, miscellaneous | СМО           | _          | 10                           | 1     | 1    | 1    | 1    |  |

- 1. Deduction if total volume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.
  - 2. Deduction if average volume per acre on the harvest operation is under 5 M/acre -\$10.
  - 3. \$1 per M is minimum harvest value after adjustment.

<sup>\*</sup>The southern portion of timber value area 9 consists of the following 9 counties: Imperial, Los Angeles, Orange, Riverside, San Bernardino, San Diego, San Luis Obispo, Santa Barbara, and Ventura.

### TIMBER VALUE AREA 9 SOUTHERN PORTION

# TABLE 4—YOUNG GROWTH HARVEST VALUES (Per M Board Feet)

| SPECIES   | SPECIES                               | LOGGING CODE & HARVEST VALUE  |                              |                          |                               |                               |  |  |
|---|---------------------------------------|-------------------------------|------------------------------|--------------------------|-------------------------------|-------------------------------|--|--|
|   | CODE                                  | 1                             | 2                            | 3                        | 4                             | 5                             |  |  |
| Ponderosa pine Sugar pine Fir Douglas fir Incense cedar Conifers, miscellaneous | PPY<br>SPY<br>FY<br>DFY<br>ICY<br>CMY | \$ 30<br>30<br>20<br>20<br>10 | \$ 20<br>20<br>10<br>10<br>1 | \$ 1<br>1<br>1<br>1<br>1 | \$ 1<br>1<br>1<br>1<br>1<br>1 | \$ 1<br>1<br>1<br>1<br>1<br>1 |  |  |

- 1. Deduction if total volume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.
- 2. Deduction if average volume per acre on the harvest operation is under 5 M/acre -\$10.
- 3. \$1 per M is minimum harvest value after adjustment.

### TABLE 5-SALVAGE OLD GROWTH HARVEST VALUES

(Per M Board Feet)

| SPECIES  | SPECIES                               | LOGGING CODE & HARVEST VALUE |                          |                          |                          |    |                       |  |
|--|---------------------------------------|------------------------------|--------------------------|--------------------------|--------------------------|----|-----------------------|--|
|  | CODE                                  | 1                            | 2                        | 3                        | 4                        |    | 5                     |  |
| Salvage ponderosa pine Salvage sugar pine Salvage fir Salvage Douglas fir Salvage incense cedar Salvage miscellaneous conifers | ZPP<br>ZSP<br>ZF<br>ZDF<br>ZIC<br>ZCM | \$ 5<br>5<br>5<br>5<br>5     | \$ 1<br>1<br>1<br>1<br>1 | \$ 1<br>1<br>1<br>1<br>1 | \$ 1<br>1<br>1<br>1<br>1 | \$ | 1<br>1<br>1<br>1<br>1 |  |

- 1. Deduction if total volume on the harvest operation is under 300 M =\$15, under 100 M =\$25, under 25 M =\$40.
- 2. \$1 per M is minimum harvest value after adjustment.

### TABLE 6--SALVAGE YOUNG GROWTH HARVEST VALUES

|  | SPECIES                               | LOGGING CODE & HARVEST VALUE |                          |                          |                          |                          |  |  |
|--|---------------------------------------|------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--|--|
| SPECIES  | CODE                                  | 1                            | 2                        | 3                        | 4                        | 5                        |  |  |
| Salvage ponderosa pine Salvage sugar pine Salvage fir Salvage Douglas fir Salvage incense cedar Salvage miscellaneous conifers | APP<br>ASP<br>AF<br>ADF<br>AIC<br>ACM | \$ 5<br>5<br>5<br>5<br>5     | \$ 1<br>1<br>1<br>1<br>1 | \$ 1<br>1<br>1<br>1<br>1 | \$ 1<br>1<br>1<br>1<br>1 | \$ 1<br>1<br>1<br>1<br>1 |  |  |

- 1. Deduction if total volume on the harvest operation is under 300 M -\$15, under 100 M -\$25, under 25 M -\$40.
- 2. \$1 per M is minimum harvest value after adjustment.